

IN LINE

FILTERS

A range of filters designed for the installation under the kitchen sink, made up with the exclusive IN-LINE filter housing with double o-ring, with a range of dedicated and proprietary filter cartridges.

IN-LINE filters come complete with standard quick-fit connections and dedicated tap.

The opening spanner is included in the package .

IN LINE housings are manufactured with the finest and most advanced materials under constant focus on innovative processing technologies and ceaseless modernization to ensure the absolute quality of our products.

Exclusive features

IN-LINE filters fit only to the proprietary range of dedicated cartridges In-line, with exclusive design of end-caps and sealing:

CPP in-line melt-blown PP cartridge sediment filter



CODE		FILTRATION
RE5716408	CPP LINE - 5 mcr	5 mcr
RE5716411	CPP LINE - 25 mcr	25 mcr

HA In-line polyphosphate crystals cartridge anti-scale conditioning



CODE	
RA5191125	HA LINE - TS

P In-line fillable empty container




CODE	
RB5171125	P LINE - TS

LA In-line granular activated carbon (GAC) cartridge chlorine-taste-odour (CTO) reduction



CODE	
RA5181125	LA LINE - TS

CA-SE In-line carbon-block cartridge sediment and chlorine-taste-odour (CTO) reduction



CODE		FILTRATION
RE5371408	CA-SE LINE - 5 mcr	5 mcr



ACCESSORIES INCLUDED



-IL- spanner
available for IN LINE HOUSING CODE RB7403014



clips 60 mm with screws
available for IN LINE HOUSING CODE RB6332000




kit IN-LINE FILTER
available for IN LINE HOUSING CODE LB7202135

ACCESSORY ON DEMAND



-LUBRIKIT- single-dose lubricant for housing o-ring
CODE RE9020650



CERTIFICATION



Housings are tested and certified under the most stringent procedures worldwide, in compliance with the sanitary certification EAC/Ghostreghistrizia (Russia).

SYMBOLS LEGEND



For domestic use



IN LINE

WORKING CONDITIONS

Max working pressure _____ 8 bar (116 psi)
 Max working temperature _____ 45°C (113°F)
 Min working temperature _____ 4°C (39,2°F)

HOUSING SPECIFICATIONS

Non-toxic materials, suitable for drinking water.
 Head and bowl: reinforced polypropylene.
 O-rings: EPDM.



IN LINE housing 1/4" BW

CODE:	RB6500010
IN/OUT:	1/4"



IN-LINE filter BW

WITH STANDARD QUICK-FIT CONNECTIONS

CODE:	RA6500005
-------	-----------