



WaterMark

Certificate of Conformity

Pro-Switch Pty Ltd grants to the WaterMark Approved User:

White International Pty Ltd

Trading as White International Pty Ltd

the right to use the WaterMark as shown above in conjunction with the Certificate No. on product/s as identified in the WaterMark Schedule and as listed on the WaterMark database www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme which have been shown to comply with the appropriate Applicable Specification referred to below and as amended from time to time. The WaterMark User is granted a licence to use the WaterMark subject to the rules governing the use of the WaterMark.

Product Type: Rainwater/Mains Supply Changeover Device
Product Use: Water Supply
Brand: Rainsaver
Certification Specification(s): WMTS 477:2016 Rainwater/Mains Supply Changeover Device
Conditions or Limitations: To be installed in accordance with Plumbing Code of Australia (PCA)

Issue Date: 12th July 2023
Initial Issue Date: 24th July 2009
Expiry Date: 11th July 2028

Simon Clarke
General Manager

Certificate No.: 23022

This Certificate is issued by a JAS-ANZ accredited certification body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate. The WaterMark Certification Scheme is a conformity assessment scheme based on ISO/IEC 17067. This Certificate may only be reproduced in its entirety.



Pro-Switch Pty Ltd
ABN 37 121 022 366
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 408 704 809
Email: info@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23022
Issue Date: 12/07/2023
Revision: CR09



WaterMark Certification Schedule

WaterMark Approved User	White International Pty Ltd ABN: 48 000 119 380
Approved User Address	52-60 Ashford Avenue Milperra NSW 2214 AUSTRALIA Website: www.whiteint.com.au
Certificate Number	23022
Certification Standard	WMTS 477:2016 Rainwater/Mains Supply Changeover Device

Product List

Model ID	Model Name	Brand Name	Product Description	Material Designation
803128	BIA-RAINSAVER MK4E	Bianco Rainsaver	DN20 Rainwater/Mains Supply Changeover Device for use with self prime pumps Max Operating Pressure/Temperature 800kPa/40°C Max Flow rate 100L/min Electric version	Stainless Steel 304, Composite
805791	UP-RSMK4E	Bianco Rainsaver	DN20 Rainwater/Mains Supply Changeover Device for use with self prime pumps Max Operating Pressure/Temperature 800kPa/40°C Max Flow rate 100L/min Electric version	Stainless Steel 304, Composite
804683	Bia-Rainsaver Mk6-200kPa	Bianco Rainsaver	DN20 Rainwater/Mains Supply Changeover Device to be Used in Conjunction with Rainsaver Pump Packages Max Operating Pressure/Temperature 1000kPa/40°C Max Flow rate 120L/min (Pump) 40L/min (Mains) 200kPa Set Pressure	Stainless Steel 304, Composite
804684	Bia-Rainsaver Mk6-300kPa	Bianco Rainsaver	DN20 Rainwater/Mains Supply Changeover Device to be Used in Conjunction with Rainsaver Pump Packages Max Operating Pressure/Temperature 1000kPa/40°C Max Flow rate 120L/min (Pump) 40L/min (Mains) 300kPa Set Pressure	Stainless Steel 304, Composite



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 408 704 809
Email: info@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23022
Issue Date: 12/07/2023
Revision: CR09