

Receiver

Company
Reference
Address
Phone
Fax
E-mail

From

Item n° : 102660100
Customer pos. no.:

Model :
JET 132 M

Pump data

Pressure rating : 6 bar
Min. fluid temperature : 0 °C
Max. fluid temperature : 35 °C
Max. Ambient temperature : 40 °C

Priming capacity :

H m	2	3	4	5	6	7	8	9
Q l/min	78	72	67	61	54	46	38	31

Requested data

Flow :
Head :
Fluid : Water
Fluid Temperature : 20 °C
Density : 998,3 kg/m³
Kinematic viscosity : 1,005 mm²/s
Vapor pressure : 0,02 bar

Hydraulic data (duty point)

Flow :
Head :



Materials

Pump body : Cast iron 200 UNI ISO 185
Support : Die cast aluminium
Impeller : Technopolymer A
Mechanical seal : Carbon/Ceramic
O-Ring : NBR Rubber
Shaft with rotor : AISI 416 X12 CrS 13 UNI 6900/71
Nozzle venturi diffuser assembly : Technopolymer A

Motor data

Motor brand : DAB
Nominal power P2 : 1 kW
Rated speed : 2.750 rpm
Rated voltage : 1~ 230 V 50 Hz
Nominal current : 6,6 A
Degree of protection : IP 44

Curve tolerance according to ISO 9906



Dimensions in mm

A	414	DNA	1" G	G	111		
A1	409	DNM	1" G	H	203		
B	263	E	192	H3	144		
C	108	F	14	I Ø	9		

Weight : 13,5 kg

Pump connection

Suction side : 1" G / 6 bar
Discharge side : 1" G / 6 bar


Receiver

From

Company
Reference
Address
Phone
Fax
E-mail

JET 132 M

Curve tolerance according to ISO 9906



Suction side :
1" G
6 bar

Discharge side :
1" G
6 bar

Flow :

Head :

Rated speed :
2.750 rpm

Project

Project ID

Created by

Created on

2025-03-05



DIMENSIONAL DRAWING

2025-03-05

Page 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Receiver

From

Company
Reference
Address
Phone
Fax
E-mail

JET 132 M



Dimensions in mm

Pump connection

1	A	414	1 Ø	9					
2	A1	409							
3	B	263							Suction
4	C	108							1" G
5	DNa	1" G							6 bar
6	DNM	1" G							
7	E	192							Discharge
8	F	14							1" G
9	G	111							6 bar
10	H	203							
11	H3	144							

Project

Project ID

Created by

Created on

2025-03-05