

Receiver

From

Company
Reference
Address
Phone
Fax
E-mail

Item n° :

102660000

Customer pos. no.:

Model :

JET 62 M

Pump data

Pressure rating : 6 bar
Min. fluid temperature : 0 °C
Max. fluid temperature : 35 °C
Max. Ambient temperature : 40 °C

Priming capacity :

H m	2	3	4	5	6	7	8	9
Q l/min	41	38	34	31	27	22	19	13

Requested data

Flow :
Head :
Fluid : Water
Fluid Temperature : 20 °C
Density : 998,3 kg/m³
Kinematic viscosity : 1,005 mm²/s
Vapor pressure : 0,02 bar

Hydraulic data (duty point)

Flow :
Head :


Materials

Pump body AISI 304 X5 Cr Ni 1810 UNI 6900/71
Disc seal AISI 304 X5 Cr Ni 1810 UNI 6900/71
Impeller Technopolymer A
Mechanical seal Carbon/Ceramic
O-Ring NBR Rubber
Shaft with rotor AISI 416 X12 CrS 13 UNI 6900/71
Nozzle venturi diffuser assembly Technopolymer A


Motor data

Motor brand : DAB
Nominal power P2 : 0,44 kW
Rated speed : 2.850 rpm
Rated voltage : 1~ 220-240 V 50 Hz
Nominal current : 3,12 A
Degree of protection : IP 44

Curve tolerance according to ISO 9906



2,2



Dimensions in mm

A	395	DNA	1" G	G	111
A1	390	DNM	1" G	H	193
B	178	E	192	H3	144
C	108	F	14	I Ø	9

Weight :

Pump connection

Suction side : 1" G / 6 bar
Discharge side : 1" G / 6 bar


Receiver

From

Company
Reference
Address
Phone
Fax
E-mail

JET 62 M

Curve tolerance according to ISO 9906



Suction side :
1" G
6 bar

Discharge side :
1" G
6 bar

Flow :

Head :

Rated speed :
2.850 rpm

project

project ID

created by

created on

2025-03-05



DIMENSIONAL DRAWING

2025-03-05

Page 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Receiver

From

Company
Reference
Address
Phone
Fax
E-mail

JET 62 M



Dimensions in mm

Pump connection

1	A	395	10	9				Suction
2	A1	390						1" G
3	B	178						6 bar
4	C	108						
5	DNA	1" G						Discharge
6	DNM	1" G						1" G
7	E	192						6 bar
8	F	14						
9	G	111						
10	H	193						
11	H3	144						

project

project ID

Created by

Created on

2025-03-05